

SW10

**16mm Straight Lever on
Concealed Bearing Rose**

Dimensions

Rose: 6x50mm dia.
Lever: 16mm dia.

Variations

SW12: 19mm dia.
SW124: 19mm dia.
Sprung Rose



BSEN1906 FD30/60



BSS



SSS



SW122

**16mm Safety Lever on
Concealed Sprung Rose**

Dimensions

Rose: 6x50mm dia.
Lever: 16mm dia.

Variations

SW123: 19mm dia. (DDA)
SW127: 22mm dia. (DDA)
SW11: 19mm dia. (DDA)
Concealed Bearing Rose
SW15: 22mm dia. (DDA)
Concealed Bearing Rose



BSEN1906 FD30/60



BSS



SSS



SW13

**19mm Mitred Lever on
Concealed Bearing Rose**

Dimensions

Rose: 6x50mm dia.
Lever: 19mm dia.

Variations

SW125 - Sprung Rose



BSEN1906 FD30/60



BSS



SSS



NOTES:

SW10, SW122, SW15 and SW127 only available in SSS. For matching escutcheons and thumbturns see pages 324-326.



BSS 

SSS 

SW14

19mm Curved Lever on Concealed Bearing Rose

Dimensions

Rose: 6x50mm dia.
Lever: 19mm dia.

Variations

SW126 - Sprung Rose



BSEN1906

FD30/60



SSS 

SW16

Designer Lever on Concealed Bearing Rose - Solid

Dimensions

Rose: 6x50mm dia.
Lever: 24mm



BSEN1906

FD30/60



SSS 

SW17

Designer Lever on Concealed Bearing Rose - Solid

Dimensions

Rose: 6x50mm dia.
Lever: 19mm dia.



BSEN1906

FD30/60

SW18

SSS

**Carbon Fibre Lever on
Concealed Bearing Rose - Solid**

Dimensions

Rose: 6x50mm dia.
Lever: 19mm dia.



SW19

SSS

**Designer Lever on Concealed
Bearing Rose - Solid**

Dimensions

Rose: 6x50mm dia.
Lever: 16mm dia.



SW120

SSS

**Designer Lever on Concealed
Bearing Rose - Solid**

Dimensions

Rose: 6x50mm dia.
Lever: 22mm dia.



NOTES:

For matching escutcheons and thumbturns see pages 324-326.



SSS 

SW121

**Designer Lever on Concealed
Bearing Rose - Solid**

Dimensions

Rose: 6x50mm dia.
Lever: 16mm dia.



BSEN1906 FD30160



SSS 

SW140

DDA Design Lever

Dimensions

Rose: 6x50mm dia.
Lever: 22mm



BSEN1906 FD30160



SSS 

SW141

DDA Design Lever

Dimensions

Rose: 6x50mm dia.
Lever: 22mm



BSEN1906 FD30160

SWLPI23

Lever on Latch Plate

Dimensions

Backplate: 180x45mm
Lever: 19mm dia.



BSEN1906 FD30/60



BSS



SSS



Code	Plate	Centres
SWOB	Latch	N/A
SWOE - DDA Compliant	Euro	47.5mm
SWOT - DDA Compliant	Bathroom	57mm
SWOP - DDA Compliant	Lock	57mm
SWOU - DDA Compliant	Oval	48.5mm
*SWOE/72 - DDA Compliant	Euro	72mm
*SWOT/78 - DDA Compliant	Bathroom	78mm

NOTES:

*SWOE/72 and SWOT/78 are suitable for use with DIN Locks.



SSS 

SWP17/300

Pull Handle - Solid

Dimensions

Centres: 300mm


Variations

SWP17/600

Centres: 600mm



FD30/60



SSS 

SWP18/300

Pull Handle - Solid

Dimensions

Centres: 300mm

Variations

SWP18/600

Centres: 600mm



FD30/60



SSS 

SWP19/300

Pull Handle

Dimensions

Centres: 300mm

Variations

SWP19/600

Centres: 600mm



FD30/60

NOTES:

SWP19 shown with optional rose pack. Rose fixing pack
SWI34 available for pull SWP handles.

SWP I 20/300

 **SSS**

Pull Handle

Dimensions

Centres: 300mm

Variations

SWP I 20/600

Centres: 600mm



FD30/60

PZD I 150

 **BSS**

D Pull Handle

 **SSS**

Dimensions

Lever: 16mm dia.

Centres: 150mm

Variations



FD30/60

Code	Diameter	Centres
PZD I 225	16mm	225mm
PZD I 300	16mm	300mm
PAD I 150	19mm	150mm
PAD I 225	19mm	225mm
PAD I 300	19mm	300mm
PAD I 450 - DDA Compliant	19mm	450mm
*PAD I 600 - DDA Compliant	19mm	600mm
*PFD I 225	22mm	225mm
PFD I 300	22mm	300mm
PBD I 225	25mm	225mm
PBD I 300	25mm	300mm
PCD I 450 - DDA Compliant	30mm	450mm
PCD I 600 - DDA Compliant	30mm	600mm
*PCD I 1800	30mm	1800mm



SSS 

PBGI250

Semi Circular Handle

Dimensions

Lever: 25mm dia.
Centres: 250mm



FD30/60



BSS 

SSS 

***PAC1225**

Cranked Pull Handle

Dimensions

Lever: 19mm
Centres: 225mm



FD30/60

Code	Diameter	Centres
PAC1300	19mm	300mm
*PAC1600 - DDA Compliant	19mm	600mm
*PFC1300	22mm	300mm
*PBC1300	25mm	300mm
*PCC1450 - DDA Compliant	30mm	450mm
*PCC1600 - DDA Compliant	30mm	600mm

NOTES:

* only available in SSS. Can be used back to back using BBF fixing pack. If fitting to hollow steel doors please contact your door supplier for fitting advice.

PAM1225

Mitred Pull Handle

Dimensions

Lever: 19mm dia.
Centres: 225mm

Variations



***PZT1150**

T Pull Handle

Dimensions

Lever: 16mm dia.
Centres: 150mm

Variations



SSS



Code	Diameter	Centres
PAM1300	19mm	300mm
PCM1450	30mm	450mm
PCM1600	30mm	600mm



BSS



SSS



Code	Diameter	Centres
PAT1225	19mm	225mm
*PAT1300	19mm	300mm
*PFT1225	22mm	225mm
PFT1300	22mm	300mm
*PBT1225	25mm	225mm
*PBT1300	25mm	300mm
PCT1450 - DDA Compliant	30mm	450mm
*PCT1600 - DDA Compliant	30mm	600mm
*PCT11000	30mm	1000mm
PCT11800	30mm	1630mm



BSS 
PVD 
SSS 



ML051500/01/03

Evolution Handle

Dimensions

Backplate: 220x32mm
Centres: 92mm



SSS 

SWNP11

Narrow Plate Safety Lever

Dimensions

Backplate: 220x32mm
Centres: 92mm



SSS 

SWNP120

Narrow Plate Straight Lever

Dimensions

Backplate: 220x32mm
Centres: 92mm



NOTES:

* only available in SSS.

Narrow plate levers are suitable for multi-point locking systems.
SW134 Rose fixing pack for 16-25mm dia. pull handles available.

SWNP40

SSS

**DDA Design
Narrow Plate Lever**

Dimensions

Backplate: 220x32mm
Centres: 92mm



BS EN 1906 FD30/60



SWNP41

BSS

SSS

**DDA Design
Narrow Plate Lever**

Dimensions

Backplate: 220x32mm
Centres: 92mm



BS EN 1906 FD30/60



SW101

BSS

SSS

Blank Escutcheon

Dimensions

Rose: 50mm dia.
Rose Thickness: 6mm



FD30/60



NOTES:

Narrow plate levers are suitable for multi-point locking systems.



BSS 

SSS 

SW102

Euro Escutcheon

Dimensions

Rose: 50mm dia.
Rose Thickness: 6mm



FD30/60



BSS 

SSS 

SW103

Lever Lock Escutcheon

Dimensions

Rose: 50mm dia.
Rose Thickness: 6mm



FD30/60



BSS 

SSS 

SW104

Oval Escutcheon

Dimensions

Rose: 50mm dia.
Rose Thickness: 6mm



FD30/60

SW105

Disabled Thumbturn and Release

Dimensions

Rose: 50mm dia.

Variations

SW105i

With indicator



FD30140



BSS



SSS



SW106

Designer Thumbturn and Release

Dimensions

Rose: 50mm dia.

Variations

SW106i

With indicator



FD30140



BSS



SSS



SW107i

Standard Thumbturn and Release

c/w indicator

Dimensions

Rose: 50mm dia.

Variations

SW107

Without indicator



FD30140



BSS



SSS





BSS 

SSS 

SWKNR

Mortice Knob

Unsprung

Dimensions

Rose: 50mm dia.

Knob: 58mm dia.



BSEN1196

FD30/40



BSS 

SSS 

CABI100

Silent Pattern Cabin Hook

Dimensions

100mm

Variations

CABI150: 150mm

CABI200: 200mm

SW3041

BSS/SSS

**Lever on Concealed
Sprung Rose**

Dimensions

Rose: 50mm dia.
Lever: 18mm dia.



SW3042

BSS/SSS

**Lever on Concealed
Sprung Rose**

Dimensions

Rose: 50mm dia.
Lever: 22mm dia.



SW3043

BSS/SSS

**Lever on Concealed
Sprung Rose**

Dimensions

Rose: 50mm dia.
Lever: 24mm dia.



NOTES:

For matching escutcheons and thumbturns see pages 329-330.



BSS/SSS



SW3044

**Lever on Concealed
Sprung Rose**

Dimensions

Rose: 50mm dia.
Lever: 20mm dia.



BSEN1906 FD30/60



BSS/SSS



SW3045

**Lever on Concealed
Sprung Rose**

Rose: 50mm dia.
Lever: 22mm dia.



BSEN1906 FD30/60



BSS/SSS



SW3046

Lever Lock Escutcheon

Dimensions

Rose: 50mm dia.
Rose Thickness: 6mm



FD30/60

SW3047



BSS/SSS

Oval Escutcheon

Dimensions

Rose: 50mm dia.
Rose Thickness: 6mm



FD30/44



SW3048



BSS/SSS

Euro Escutcheon

Dimensions

Rose: 50mm dia.
Rose Thickness: 6mm



FD30/40



SW3049



BSS/SSS

Designer Thumbturn and Release

Dimensions

Rose: 50mm dia.
Rose Thickness: 6mm



FD30/40





BSS 
SSS 

FPH1000

Flush Pull
Rectangular

Dimensions

Length: 100mm
Height: 50mm



BSS 
SSS 

FPH1001

Flush Pull
Radius

Dimensions

Length: 120mm
Height: 40mm



BSS 
SSS 

FPH1002

Flush Pull
Circular

Dimensions

Diameter: 48mm



FPH1003

Flush Pull
Circular

Dimensions

Diameter: 78mm



FD30/60



BSS



SSS



FPH1004

Flush Pull
Circular

Dimensions

Diameter: 89mm



FD30/60



BSS



SSS



CPD1096

Cabinet D Handle

Dimensions

Lever: 10mm dia.
Centres: 96mm

Variations

CPD1128: 128mm Centres

CPD1160: 160mm Centres



FD30/60



BSS



SSS





BSS



SSS



CPHI096

Cabinet Curved Pull Handle

Dimensions


Lever: 10mm dia.
Centres: 96mm

Variations

CPHI128: 128mm Centres
CPHI160: 160mm Centres



FD30/60



BSS



SSS



CPTI096

Straight Pull Handle

Dimensions

Lever: 10mm dia.
Centres: 96mm

Variations

CPTI128: 128mm Centres
CPTI160: 160mm Centres



FD30/60



BSS



SSS



CKNI016

Cabinet Knob

Dimensions

Diameter: 16mm

Variations

CKNI020: 20mm dia.
CKNI025: 25mm dia.



FD30/60

CKR1025

Round Ball Cabinet Knob

Dimensions

Diameter: 25mm

Variations

CKR1030: 30mm dia.



FD30/40



BSS



SSS



DSF1030

**Floor Mounted Door Stop
Pedestal**

Dimensions

Diameter: 30mm



FD30/40



BSS



SSS



DSF1031

**Floor Mounted Door Stop
Large**

Dimensions

Diameter: 78mm



FD30/40



BSS



SSS





BSS 

SSS 

DSF I032

Floor Mounted Door Stop

Dimensions

Diameter: 44mm



FD30/60



BSS 

SSS 

DSW I015

Wall Mounted Door Stop

Dimensions

Diameter: 16mm



FD30/60



BSS 

SSS 

HCH I010

Hat and Coat Hook

Dimensions

Diameter: 10mm

Height: 150mm



FD30/60

HCHI011

Coat Hook

Dimensions

Diameter: 10mm
Height: 80mm



BSS



SSS



HCHI012

Flat Coat Hook

Dimensions

70x20mm



BSS



SSS



HCHI013

Flat Hat and Coat Hook

Dimensions

175x20mm



BSS



SSS





BSS 

SSS 

HCH1014

Hat and Double Coat Hook

Dimensions

Rose: 47mm dia.
Height: 180mm



FD30/60



BSS 

SSS 

HCH1015

Double Coat Hook

Dimensions

Rose: 47mm dia.
Height: 100mm



FD30/60



BSS 

SSS 

HCH1016

Coat Hook

Dimensions

Rose: 32mm dia.



FD30/60

HCH1017


Coat Hook
Concealed Fix

Dimensions

Diameter: 16mm



BSS
SSS



HCH1018

Buffered Coat Hook

Dimensions

Rose: 50mm dia.
Length: 90mm



BSS
SSS



LET1050A

Letter a

Dimensions

50mm

Variations



BSS
SSS



Code	Description	Size
LET1050B	Letter b	50mm
LET1050C	Letter c	50mm
LET10100A	Letter a	100mm
LET10100B	Letter b	100mm
LET10100C	Letter c	100mm

123

BSS 

SSS 

NUM10500

Numeral 0

Dimensions

50mm

Variations



FD1060

Code	Description	Size
NUM10501	Numeral 1	50mm
NUM10502	Numeral 2	50mm
NUM10503	Numeral 3	50mm
NUM10504	Numeral 4	50mm
NUM10505	Numeral 5	50mm
NUM10506/9	Numeral 6/9	50mm
NUM10507	Numeral 7	50mm
NUM10508	Numeral 8	50mm
NUM10100	Numeral 0	100mm
NUM10101	Numeral 1	100mm
NUM10102	Numeral 2	100mm
NUM10103	Numeral 3	100mm
NUM10104	Numeral 4	100mm
NUM10105	Numeral 5	100mm
NUM10106/9	Numeral 6/9	100mm
NUM10107	Numeral 7	100mm
NUM10108	Numeral 8	100mm

SEX1011

Male Symbol

Dimensions

76mm dia.

Variations



BSS

SSS



Code	Description	Size	Finish	
SEX1012	Female Symbol	76mm dia.	BSS/SSS	
SEX1014	Shower Symbol	76mm dia.	BSS/SSS	
SEX1015	Fire Door Symbol	76mm dia.	BSS/SSS	
SEX1016	Fire Door Symbol	76mm dia.	BSS/SSS	
SEX1017	Disabled Symbol	76mm dia.	BSS/SSS	
SEX1018	Unisex Symbol	76mm dia.	BSS/SSS	
SEX1019	Baby Change Symbol	76mm dia.	BSS/SSS	
FPA1301	Pull Symbol	75 x30mm	BSS/SSS	
FPA1302	Push Symbol	75 x30mm	BSS/SSS	
SEX1021	Fire Escape Sign	76mm dia.	BSS/SSS	
SEX1020	No Smoking Sign	210 x148mm	BSS/SSS	



BSS 

SSS 

FPP1300

Plain Finger Plate

Dimensions

300x75mm

Variations



FD30/60

Code	Description	Size	Finish	
FPP1350	Plain Finger Plate	350x75mm	BSS/SSS	
FPP1500	Plain Finger Plate	500x75mm	BSS/SSS	
FPP1650	Plain Finger Plate	650x75mm	BSS/SSS	
FPP1301	Pull Finger Plate	300x75mm	BSS/SSS	
FPP1351	Pull Finger Plate	350x75mm	BSS/SSS	
FPP1302	Push Finger Plate	300x75mm	BSS/SSS	
FPP1352	Push Finger Plate	350x75mm	BSS/SSS	

KPP1590

Kickplate

Dimensions

590x150mm

Individually Packed
c/w Matching pozi screws and
corner protectors




BSS



PVD



SSS



Variations



FD30/60

Code	Description	Size	Finish
KPP1615	Kickplate	615x150mm	BSS/PVD/SSS
KPP1650	Kickplate	650x150mm	BSS/PVD/SSS
KPP1675	Kickplate	675x150mm	BSS/PVD/SSS
KPP1690	Kickplate	690x150mm	BSS/PVD/SSS
KPP1715	Kickplate	715x150mm	BSS/PVD/SSS
KPP1725	Kickplate	725x150mm	BSS/PVD/SSS
KPP1750	Kickplate	750x150mm	BSS/PVD/SSS
KPP1790	Kickplate	790x150mm	BSS/PVD/SSS
KPP1815	Kickplate	815x150mm	BSS/PVD/SSS
KPP1805	Kickplate	805x150mm	BSS/PVD/SSS
KPP1830	Kickplate	830x150mm	BSS/PVD/SSS
KPP1855	Kickplate	855x150mm	BSS/PVD/SSS
KPP1880	Kickplate	880x150mm	BSS/PVD/SSS
KPP1905	Kickplate	905x150mm	BSS/PVD/SSS
KPP1890	Kickplate	890x150mm	BSS/PVD/SSS
KPP1915	Kickplate	915x150mm	BSS/PVD/SSS



BSS 

SSS 

BBT1080

Straight Barrel Bolt

Dimensions

80x38mm

Variations

BBT1100: 100x38mm

BBT1150: 150x38mm

BBT1200: 200x38mm



FD30I60



BSS 

SSS 

BBT1080CR

Cranked Barrel Bolt

Dimensions

80x38mm

Variations

BBT1100CR: 100x38mm

BBT1150CR: 150x38mm

BBT1200CR: 200x38mm



FD30I60

HBSI038

Saddle

to suit 38mm dia. handrail

Variations

HBSI050

to suit 50mm dia. handrail




FD30/60



BSS



SSS



HRBI000BSS/P62

Handrail Bracket

Dimensions

Projection: 62mm

Variations

HRBI000BSS/P85 (DDA Compliant)

Projection: 85mm



FD30/60



BSS



SSS



OCPI000

Oval Cylinder Pull

Dimensions

78x44mm



FD30/60



BSS



PVD



SSS





BSS 
PVD 
SSS 

ECPI000

Euro Cylinder Pull

Dimensions

78x44mm



FD30/60



BSS 
PVD 
SSS 

PCPI000

Lever Lock Cylinder Pull

Dimensions

78x44mm



FD30/60



BSS 
PVD 
SSS 

BCPI000

Blank Cylinder Pull

Dimensions

78x44mm



FD30/60

RCP1000

Rim Cylinder Pull

Dimensions

78x44mm



FD30/60



BSS



PVD



SSS



FBT1008

Lever Action Flush Bolt

Dimensions

203x20mm

Variations

FBT1008/R - Radius



FD30/60



BSS



SSS



AA813

(Formerly SOC4068)

Flush Bolt Socket

13mm Slot Size

Dimensions

64x20mm



FD30/60



CP



PB



SN



BSS SSS 

B

CSLI 190**19mm Safety Lever****Dimensions**

Rose: 52mm dia.

Lever: 19mm dia.

Variations**CSLI 220**

Lever: 22mm dia.



BSI 1906 FD 30/60

SSS 

B

CSLI 191**19mm Straight Lever****Dimensions**

Rose: 52mm dia.

Lever: 19mm dia.



BSI 1906 FD 30/60

BSS SSS 

B

CSLI 192**19mm Mitred Lever
Round Bar****Dimensions**

Rose: 52mm dia.

Lever: 19mm dia.



BSI 1906 FD 30/60

NOTES:

For matching escutcheons and thumbturns see page 350-351.

CSLI 193**19mm Curved Lever****Dimensions**

Rose: 52mm dia.
Lever: 19mm dia.

**BSS****SSS****CSLI 194****19mm Straight Lever****Dimensions**

Rose: 52mm dia.
Lever: 19mm dia.

**BSS****SSS****CSLI 195****19mm Mitred Lever
Oval Bar****Dimensions**

Rose: 52mm dia.
Lever: 19mm dia.

**SSS**

Lever Section

**NOTES:**

For matching escutcheons and thumbturns see page 350-351.



SSS

CSLI 121**Lever on Sprung Rose****Dimensions**

Rose: 52mm dia.



BSEN1906 FD3040



SSS

CSLI 127**Lever on Sprung Rose****Dimensions**

Rose: 52mm dia.



BSEN1906 FD3040



SSS

CSLI 134**Lever on Sprung Rose****Dimensions**

Rose: 52mm dia.



BSEN1906 FD3040


CSLI160**Lever on Sprung Rose****Dimensions**

Rose: 52mm dia.


 **BSS**
 **SSS**
**CST1025****Disabled Thumbturn and Release**
c/w Additional Non Indicator Rose**Dimensions**

Rose: 52mm dia.

Rose Thickness: 8mm

Variations**CST1025K** - 5mm Allen Key Release
 **BSS**
 **SSS**
**CST1015****Thumbturn and Release**
c/w Additional Non Indicator Rose**Dimensions**

Rose: 52mm dia.

Rose Thickness: 8mm


 **BSS**
 **SSS**
B

BSS SSS 

B

CSU I 005**Oval Escutcheon****Dimensions**

Rose: 52mm dia.
 Rose Thickness: 8mm



FD30/60

BSS SSS 

B

CSP I 005**Lock Escutcheon****Dimensions**

Rose: 52mm dia.
 Rose Thickness: 8mm



FD30/60

BSS SSS 

B

CSE I 005**Euro Escutcheon****Dimensions**

Rose: 52mm dia.
 Rose Thickness: 8mm



FD30/60

CSLP1190

Safety Lever on Backplate

Dimensions

Backplate: 170x45x8mm

Lever: 19mm dia.



FD3040

Variations - Radius



BSS



SSS



Code	Description	Size	Finish
CPRB1170	Radius Latch Plates	170x45x8mm	BSS/SSS
CPRE1170/72	Radius Euro Cylinder Plates (Din 72c/c)	170x45x8mm	BSS/SSS
CPRE1170	Radius Euro Cylinder Plates (47.5c/c)	170x45x8mm	BSS/SSS
CPRP1170	Radius Lever Key Plates	170x45x8mm	BSS/SSS
CPRT1170/78	Radius Bathroom Plates (Din 78c/c) + Small Indicator + Turn	170x45x8mm	BSS/SSS
CPRT1170	Radius Bathroom Plates (UK 57c/c) + Small Indicator + Turn	170x45x8mm	BSS/SSS
CPRTL1170/78	Radius Bathroom Plates (Din 78c/c) + Large Indicator + Turn	170x45x8mm	BSS/SSS
CPRTL1170	Radius Bathroom Plates (UK 57c/c) + Large Indicator + Turn	170x45x8mm	BSS/SSS
CPRU1170	Radius UK Oval Cylinder Plates (48.5c/c)	170x45x8mm	BSS/SSS

Square

CPSB1170	Square Latch Plates	170x45x8mm	BSS/SSS
CPSE1170/72	Square Euro Cylinder Plates (Din 72c/c)	170x45x8mm	BSS/SSS
CPSE1170	Square Euro Cylinder Plates (47.5c/c)	170x45x8mm	BSS/SSS
CPSP1170	Square Lever Key Plates	170x45x8mm	BSS/SSS
CPST1170/78	Square Bathroom Plates (Din 78c/c) + Small Indicator + Turn	170x45x8mm	BSS/SSS
CPST1170	Square Bathroom Plates (UK 57c/c) + Small Indicator + Turn	170x45x8mm	BSS/SSS
CPSTL1170/78	Square Bathroom Plates (Din 78c/c) + Large Indicator + Turn	170x45x8mm	BSS/SSS
CPSTL1170	Square Bathroom Plates (UK 57c/c) + Large Indicator + Turn	170x45x8mm	BSS/SSS
CPSU1170	Square UK Oval Cylinder Plates (48.5c/c)	170x45x8mm	BSS/SSS

BSS SSS **CSLP1191****Straight Lever on Backplate****Dimensions**

Backplate: 170x45x8mm
Lever: 19mm dia.



FD30/60

Variations - Radius

Code	Description	Size	Finish
CPRB1170	Radius Latch Plates	170x45x8mm	BSS/SSS
CPRE1170/72	Radius Euro Cylinder Plates (Din 72c/c)	170x45x8mm	BSS/SSS
CPRE1170	Radius Euro Cylinder Plates (47.5c/c)	170x45x8mm	BSS/SSS
CPRP1170	Radius Lever Key Plates	170x45x8mm	BSS/SSS
CPRT1170/78	Radius Bathroom Plates (Din 78c/c) + Small Indicator + Turn	170x45x8mm	BSS/SSS
CPRT1170	Radius Bathroom Plates (UK 57c/c) + Small Indicator + Turn	170x45x8mm	BSS/SSS
CPRTL1170/78	Radius Bathroom Plates (Din 78c/c) + Large Indicator + Turn	170x45x8mm	BSS/SSS
CPRTL1170	Radius Bathroom Plates (UK 57c/c) + Large Indicator + Turn	170x45x8mm	BSS/SSS
CPRU1170	Radius UK Oval Cylinder Plates (48.5c/c)	170x45x8mm	BSS/SSS

CPSB1170	Square Latch Plates	170x45x8mm	BSS/SSS
CPSE1170/72	Square Euro Cylinder Plates (Din 72c/c)	170x45x8mm	BSS/SSS
CPSE1170	Square Euro Cylinder Plates (47.5c/c)	170x45x8mm	BSS/SSS
CPSP1170	Square Lever Key Plates	170x45x8mm	BSS/SSS
CPST1170/78	Square Bathroom Plates (Din 78c/c) + Small Indicator + Turn	170x45x8mm	BSS/SSS
CPST1170	Square Bathroom Plates (UK 57c/c) + Small Indicator + Turn	170x45x8mm	BSS/SSS
CPSTL1170/78	Square Bathroom Plates (Din 78c/c) + Large Indicator + Turn	170x45x8mm	BSS/SSS
CPSTL1170	Square Bathroom Plates (UK 57c/c) + Large Indicator + Turn	170x45x8mm	BSS/SSS
CPSU1170	Square UK Oval Cylinder Plates (48.5c/c)	170x45x8mm	BSS/SSS

Square

CSD1150

19mm D Pull Handle

Dimensions

Centres: 150mm
Lever: 19mm dia.



Code	Diameter	Centres
CSD1225	19mm	225mm
CSD1300	19mm	300mm
CSD1425	19mm	425mm
CSD1450 - DDA Compliant	19mm	450mm
CSD1600 - DDA Compliant	19mm	600mm
CFPT1450	22mm	450mm
CFPT1600	22mm	600mm
CSR1005 - Covered Rose Pack	54mm	N/A

CSK1058

Mortice Knob
on Sprung Rose

Dimensions

Rose: 54mm dia.





SSS

B

SSL I 401

Square Mitred Lever
on Sprung Square Rose

Dimensions

Rose: 52x52mm
Lever: 19mm
Rose Thickness: 8mm



BSEN1906 FD30/60



SSS

B

SSL I 402

Flat Lever
on Sprung Square Rose

Dimensions

Rose: 52x52mm
Lever: 10x19mm
Rose Thickness: 8mm



BSEN1906 FD30/60



SSS

B

SSL I 403

Rectangular Lever
on Sprung Square Rose

Dimensions

Rose: 52x52mm
Lever: 24x12mm
Rose Thickness: 8mm



BSEN1906 FD30/60

NOTES:

For matching escutcheons and thumbturns see pages 357-358.

SSL1404

Shaped Lever
on Sprung Square Rose

Dimensions


Rose: 52x52mm
Rose Thickness: 8mm



BSEN1906 FD30/60

 **SSS**

B

**SSL1405**

Square Lever
on Sprung Square Rose

Dimensions

Rose: 52x52mm
Lever: 16mm
Rose Thickness: 8mm



BSEN1906 FD30/60

 **BSS/SSS**

B

**SSL1406**

Square Mitred Lever
on Sprung Square Rose

Dimensions

Rose: 52x52mm
Lever: 22mm
Rose Thickness: 8mm



BSEN1906 FD30/60

 **BSS/SSS**

B

**NOTES:**

For matching escutcheons and thumbturns see pages 357-358.

BSS/SSS SSS **SSEI 405/DUO****Euro Square Escutcheon****Dimensions**

Rose: 52x52mm
 Rose Thickness: 8mm



FD30/60

BSS/SSS SSS **SSP I 405/DUO****Lever Lock Square Escutcheon****Dimensions**

Rose: 52x52mm
 Rose Thickness: 8mm



FD30/60

BSS/SSS SSS **SSUI 405/DUO****Oval Square Escutcheon****Dimensions**

Rose: 52x52mm
 Rose Thickness: 8mm



FD30/60

NOTES:

Square escutcheons are supplied with both a polished and satin inner to allow for a single or dual finish.

SST I415/DUO

Square Thumbturn and Release
on Square Rose

Dimensions

Rose: 52x52mm

Variations

SST I415/DUO

With indicator



SSRI405SSS/DUO

Square Rose Pack
for Pull Handles

Dimensions

Rose: 52x8mm




SSDI415

16mm Square T Pull Handle

Dimensions

Centres: 150mm

Variations



Code	Centres
SSDI415	150mm
SSDI422	225mm
SSDI430	300mm
SSDI445 - DDA Compliant	450mm
SSDI460 - DDA Compliant	600mm


SSS **SSFI 415****Flat T Pull Handle****Dimensions**

Centres: 150mm

Variations

FD30/60

Code	Centres
SSFI 415	150mm
SSFI 422	225mm
SSFI 430	300mm
SSFI 445 - DDA Compliant	450mm
SSFI 460 - DDA Compliant	600mm

SSS **SSMI 415****Square Mitred Pull Handle****Dimensions**

Centres: 150mm

Variations

FD30/60

Code	Centres
SSMI 415	150mm
SSMI 422	225mm
SSMI 430	300mm
SSMI 445 - DDA Compliant	450mm
SSMI 460 - DDA Compliant	600mm

NOTES:

SSR 1405 is supplied with both a polished and satin inner to allow for a single or dual finish. Optional rose pack available.