



1 Gang

10 Amp 2 Way Switch

Dimensions

86x86x2mm



Variations

Switch	 FPSS	 FSSS
Black	FPSS1SWB	FSSS1SWB
White	FPSS1SWW	FSSS1SWW
Matching	FPSS1SW	FSSS1SW

2 Gang

10 Amp 2 Way Switch


Dimensions

86x86x2mm



Variations

Switch	 FPSS	 FSSS
Black	FPSS2SVB	FSSS2SVB
White	FPSS2SWW	FSSS2SWW
Matching	FPSS2SW	FSSS2SW



Switch	 FPSS	 FSSS
Black	FPSS3SWB	FSSS3SWB
White	FPSS3SWW	FSSS3SWW
Matching	FPSS3SW	FSSS3SW



Switch	 FPSS	 FSSS
Black	FPSS4SWB	FSSS4SWB
White	FPSS4SWW	FSSS4SWW
Matching	FPSS4SW	FSSS4SW

3 Gang

10 Amp 2 Way Switch

Dimensions

86x86x2mm

Variations

4 Gang

10 Amp 2 Way Switch

Dimensions

146x86x2mm

Variations



20 Amp Intermediate Switch

Dimensions

86x86x2mm



Variations

Switch	 FPSS	 FSSS
Black	FPSSINTB	FSSSINTB
White	FPSSINTW	FSSSINTW
Matching	FPSSINT	FSSSINT

20 Amp DP Switch

Dimensions

86x86x2mm



Variations

Switch	 FPSS	 FSSS
Black	FPSS20ASWB	FSSS20ASWB
White	FPSS20ASWW	FSSS20ASWW
Matching	FPSS20ASW	FSSS20ASW



20 Amp DP Switch and Neon

Dimensions

86x86x2mm

Variations

Switch	 FPSS	 FSSS
Black	FPSS20ASWNB	FSSS20ASWNB
White	FPSS20ASWNW	FSSS20ASWNW
Matching	FPSS20ASWN	FSSS20ASWN

- CRABTREE INTERIOR
- NEXT DAY DELIVERY
- £100 CARRIAGE PAID
- UP TO 8 GANG GRIDS MADE TO ORDER
- COMPETITIVE PRICING



13 Amp Unswitched Fuse Spur

Dimensions

86x86x2mm



Variations

Interior	 FPSS	 FSSS
Black	FPSSUSWFB	FSSSUSWFB
White	FPSSUSFW	FSSSUSFW

13 Amp DP Switched Fuse Spur

Dimensions

86x86x2mm



Variations

Switch	 FPSS	 FSSS
Black	FPSSSWFB	FSSSSWFB
White	FPSSSWFW	FSSSSWFW
Matching Black	FPSSSWFPSB	FSSSSWFPSB
Matching White	FPSSSWFPSW	FSSSSWFPSW



Switch	 FPSS	 FSSS
Black	FPSSSWFNFB	FSSSSWFNFB
White	FPSSSWFNFW	FSSSSWFNFW
Matching Black	FPSSSWFNPSB	FSSSSWFNSSB
Matching White	FPSSSWFNPSW	FSSSSWFNSSW



Switch	 FPSS	 FSSS
Black	FPSSSWFFOB	FSSSSWFFOB
White	FPSSSWFFOW	FSSSSWFFOW
Matching Black	FPSSSWFFOPSB	FSSSSWFFOSSB
Matching White	FPSSSWFFOPSW	FSSSSWFFOSSW

13 Amp DP Switched Fuse and Neon

Dimensions

86x86x2mm

Variations

13 Amp DP Switched Fuse and Flex Outlet

Dimensions

86x86x2mm

Variations

**45 Amp DP Cooker Switch
Double Plate**

Dimensions

86x146x2mm



Variations

Switch	 FPSS	 FSSS
Black	FPSS45ASWNB	FSSS45ASWNB
White	FPSS45ASWNW	FSSS45ASWNW



Switch	 FPSS	 FSSS
Black	FPSS45ASWNSB	FSSS45ASWNSB
White	FPSS45ASWNSW	FSSS45ASWNSW



Switch	 FPSS	 FSSS
Black	FPSSFSWB	FSSSFSWB
White	FPSSFSWW	FSSSFSWW
Matching	FPSSFSW	FSSSFSW

**45 Amp Cooker Switch
Single Plate**

Dimensions

86x86x2mm

Variations

**Fan Isolator Switch
Triple Pole**

Dimensions

86x86x2mm

Variations



1 Gang

**400W and 800W
Dimmer Switch**

Dimensions

86x86x2mm



Variations

Watt	 FPSS	 FSSS
400W	FPSS1D400	FSSS1D400
800W	FPSS1D800	FSSS1D800

2 Gang

**400W
Dimmer Switch**


Dimensions



86x86x2mm



Variations

Watt	 FPSS	 FSSS
400W	FPSS2D400	FSSS2D400



Watt	 FPSS	 FSSS
400W	FPSS3D400	FSSS3D400



Watt	 FPSS	 FSSS
400W	FPSS4D400	FSSS4D400

3 Gang

**400W
Dimmer Switch**

Dimensions

146x86x2mm

Variations

4 Gang

**400W
Dimmer Switch**

Dimensions

146x86x2mm

Variations



1 Gang

13 Amp DP Switched Socket

Dimensions

86x86x2mm



Variations

Switch	FPSS	FSSS
Black	FPSS1SOB	FSSS1SOB
White	FPSS1SOW	FSSS1SOW
Matching Black	FPSS1SOPSB	FSSS1SOSSB
Matching White	FPSS1SOPSW	FSSS1SOSSW

2 Gang

13 Amp DP Switched Socket


Dimensions

146x86x2mm




Variations

Switch	FPSS	FSSS
Black	FPSS2SOB	FSSS2SOB
White	FPSS2SOW	FSSS2SOW
Matching Black	FPSS2SOPSB	FSSS2SOSSB
Matching White	FPSS2SOPSW	FSSS2SOSSW



Switch	FPSS	FSSS
Black	FPSS5ASOB	FSSS5ASOB
White	FPSS5ASOW	FSSS5ASOW



Switch	FPSS	FSSS
Black	FPSS45ASWASB	FSSS45ASWASW
White	FPSS45ASWASW	FSSS45ASWASW
Matching Black	FPSS45ASWASPSB	FSSS45ASWASSW
Matching White	FPSS45ASWASPSW	FSSS45ASWASSW

5 Amp Switched Socket

Dimensions

86x86x2mm

Variations

45 Amp DP Switch and Socket

Dimensions

146x86x2mm

Variations


Telephone Slave

Dimensions

86x86x2mm



Variations

Interior	 FPSS	 FSSS
Black	FPSS1SB	FSSS1SB
White	FPSS1SW	FSSS1SW


Telephone Master

Dimensions



86x86x2mm



Variations

Interior	 FPSS	 FSSS
Black	FPSS1MB	FSSS1MB
White	FPSS1MW	FSSS1MW



Interior	 FPSS	 FSSS
Black	FPSS1TVB	FSSS1TVB
White	FPSS1TVW	FSSS1TVW



Interior	 FPSS	 FSSS
Black	FPSS2TVB	FSSS2TVB
White	FPSS2TVW	FSSS2TVW

1 Gang

TV Outlet

Dimensions

86x86x2mm

Variations

2 Gang

TV Outlet

Dimensions

86x86x2mm

Variations



Sky + Socket

Dimensions

146x86x2mm

Variations



Interior	FPSS	FSSS
Black	FPSSSKY+B	FSSSKY+B
White	FPSSSKY+W	FSSSKY+W

- FULL RANGE OF TV, RADIO AND SATELLITE MODULES IN SINGLE, TWIN, TRIPLE AND QUAD FORMATS.
- INCLUDES TELEPHONE MASTER, SLAVE, DATA AND SPEAKER MODULES.
- AVAILABLE IN BLACK OR WHITE.



Shaver Socket

Dimensions

86x146x2mm

Interior	 FPSS	 FSSS
Black	FPSSSHSB	FSSSSHBSB
White	FPSSSHSW	FSSSSHWSW

Variations



1 Gang



Blank Plate

Dimensions

86x86x2mm



Variations


 FPSS	 FSSS
FPSS1B	FSSS1B

2 Gang



Blank Plate

Dimensions

146x86x2mm



Variations

 FPSS	 FSSS
FPSS2B	FSSS2B



EuroLite utilise Crabtree capital power and control interiors which are fully design co-ordinated to offer consistent styling and inherent safety features across a broad range of applications.

Features include:

- Large concave rockers for ease of operation especially for the elderly and infirm.
- Labyrinth switch design to minimise visible arc flash and prevents front access to live parts.
- Large tunnel terminals with Live and Neutral angled for ease of wiring and to assist installation.
- Socket outlets with twin earth terminals as standard for high integrity earthing.
- Padlockable Fused Connection Unit carrier for extra on-site maintenance safety.
- Optional neon indicator for visual "ON".
- Positive drive action prevents balancing between ON and OFF position.
- Double pole product marking on moulded rocker to easily identify once product has been installed.
- Substantial silver alloy contacts for longer life and low contact resistance.
- 3mm contact gap ensures safe means of isolation.
- Individually boxed to protect product before installation.
- Metal rockers to harmonise with the decorative plate finish.
- Modular grid products enables units to be quickly and easily assembled to customers' individual specifications allowing several circuits to be controlled from a single position.

RECOMMENDED QUANTITY OF SOCKET OUTLETS FOR DOMESTIC INSTALLATIONS

An installation may have too few socket outlets or the existing socket outlets may be incorrectly sited. Both conditions are symptomatic of an inadequate installation which could lead to potentially dangerous improvisation. The following is a summary of the recommendations of the Electrical Installation Industry Liaison Committee and all socket outlets should be of the twin switched type.

NUMBER OF SOCKETS ROOM	6 KITCHEN	6 LOUNGE	4 DINING ROOM
4 DOUBLE BEDROOM	4 SITTING ROOM	4 SINGLE BEDROOM	1 LANDING/STAIRS
2 HALL	2 GARAGE	2 STORE/WORKROOM	1 CENTRAL HEATING BOILER POINT

GUIDE TO THE TERMINAL CAPACITIES OF THE PRINCIPAL WIRING ACCESSORIES - PRODUCT/CONDUCTOR SIZE



13A SOCKET OUTLETS	3 x 2.5mm ² , 2 x 4mm ² , 2 x 6mm ²
13A FUSED CONNECTION UNITS	3 x 2.5mm ² , 2 x 4mm ² , 2 x 6mm ²
10AX PLATE SWITCHES	4 x 1mm ² , 3 x 1.5mm ² , 1 x 2.5mm ²
20A DP SWITCHES	3 x 2.5mm ² , 2 x 4mm ² , 1 x 6mm ² , 1 x 10mm ²