

1 Gang


10 Amp 2 Way Switch

Dimensions

95x95x10mm



Variations

Switch	 G
Black	GISWB
White	GISWW
Matching	GISW

2 Gang


10 Amp 2 Way Switch


Dimensions

95x95x10mm



Variations

Switch	 G
Black	G2SWB
White	G2SWW
Matching	G2SW



Switch	 G
Black	G3SWB
White	G3SWW
Matching	G3SW



Switch	 G
Black	G4SWB
White	G4SWW
Matching	G4SW

3 Gang

10 Amp 2 Way Switch

Dimensions

95x95x10mm

Variations

4 Gang

10 Amp 2 Way Switch

Dimensions

150x95x10mm

Variations

20 Amp Intermediate Switch

Dimensions

95x95x10mm



Variations

Switch	 G
Black	GINTB
White	GINTW
Matching	GINT


20 Amp DP Switch

Dimensions

95x95x10mm



Variations

Switch	 G
Black	G20ASWB
White	G20ASWW
Matching	G20ASW



Switch	 G
Black	G20ASWNB
White	G20ASWNW
Matching	G20ASWN

20 Amp DP Switch and Neon

Dimensions

95x95x10mm

Variations

- CRABTREE INTERIOR
- NEXT DAY DELIVERY
- £100 CARRIAGE PAID
- COMPETITIVE PRICING

13 Amp Unswitched Fuse Spur

Dimensions

95x95x10mm



Variations

Interior	 G
Black	GUSWFB
White	GUSWFW


13 Amp DP Switched Fuse Spur

Dimensions

95x95x10mm




Variations

Switch	 G
Black	GSWFB
White	GSWFW
Matching Black	GSWFPBB
Matching White	GSWFPBW



Switch	 G
Black	GSWFNB
White	GSWFNW
Matching Black	GSWFNPBB
Matching White	GSWFNPBW



Switch	 G
Black	GSWFFOB
White	GSWFFOW
Matching Black	GSWFFOPBB
Matching White	GSWFFOPBW

13 Amp DP Switched Fuse and Neon

Dimensions

95x95x10mm

Variations

13 Amp DP Switched Fuse and Flex Outlet

Dimensions

95x95x10mm

Variations

**45 Amp DP Cooker Switch
Double Plate**

Dimensions

95x150x10mm



Variations

Switch	 G
Black	G45ASWNB
White	G45ASWNW



Switch	 G
Black	G45ASWNSB
White	G45ASWNSW



Switch	 G
Black	GFSWB
White	GFSWW
Matching	GFSW

**45 Amp Cooker Switch
Single Plate**

Dimensions

95x95x10mm

Variations

**Fan Isolator Switch
Triple Pole**

Dimensions

95x95x10mm

Variations

1 Gang

**400W and 800W
Dimmer Switch**

Dimensions

95x95x10mm



Variations

Watt	 G
400W	G1D400
800W	G1D800

2 Gang

**400W
Dimmer Switch**

Dimensions


95x95x10mm




Variations

Watt	 G
400W	G2D400



Watt	 G
400W	G3D400



Watt	 G
400W	G4D400

3 Gang

**400W
Dimmer Switch**

Dimensions

150x95x10mm

Variations

4 Gang

**400W
Dimmer Switch**

Dimensions

150x95x10mm

Variations

1 Gang


13 Amp DP Switched Socket

Dimensions

95x95x10mm



Variations

Switch	 G
Black	GISOB
White	GISOW
Matching	GISOPBB
Black Matching	GISOPBW
White Matching	

2 Gang


13 Amp DP Switched Socket


Dimensions

150x95x10mm



Variations

Switch	 G
Black	G2SOB
White	G2SOW
Matching	G2SOPBB
Black Matching	G2SOPBW
White Matching	



Switch	 G
Black	G5ASOB
White	G5ASOW


5 Amp Switched Socket

Dimensions

95x95x10mm

Variations



Switch	 G
Black	G45ASWASB
White	G45ASWASW
Matching Black	G45ASWASPB
Matching White	G45ASWASPBW

45 Amp DP Switch and Socket

Dimensions

150x95x10mm

Variations

Telephone Slave

Dimensions

95x95x10mm



Variations

Interior	 G
Black	GISB
White	GISW

Telephone Master

Dimensions

95x95x10mm




Variations

Interior	 G
Black	GIMB
White	GIMW



Interior	 G
Black	GITVB
White	GITVW



Interior	 G
Black	G2TVB
White	G2TVW

1 Gang

TV Outlet

Dimensions

95x95x10mm

Variations

2 Gang

TV Outlet

Dimensions

95x95x10mm

Variations

Sky + Socket

Dimensions

150x95x10mm

Variations



Interior	 G
Black	GSKY+B
White	GSKY+W


- FULL RANGE OF TV, RADIO AND SATELLITE MODULES IN SINGLE, TWIN, TRIPLE AND QUAD FORMATS.
- INCLUDES TELEPHONE MASTER, SLAVE, DATA AND SPEAKER MODULES.
- AVAILABLE IN BLACK OR WHITE.



Shaver Socket

Dimensions

95x150x10mm

Interior	 G
Black	GSHSB
White	GSHSW


Variations

1 Gang

Blank Plate

Dimensions

95x95x10mm



Variations



2 Gang

Blank Plate

Dimensions

150x95x10mm



Variations





EuroLite utilise Crabtree capital power and control interiors which are fully design co-ordinated to offer consistent styling and inherent safety features across a broad range of applications.

Features include:

- Large concave rockers for ease of operation especially for the elderly and infirm.
- Labyrinth switch design to minimise visible arc flash and prevents front access to live parts.
- Large tunnel terminals with Live and Neutral angled for ease of wiring and to assist installation.
- Socket outlets with twin earth terminals as standard for high integrity earthing.
- Padlockable Fused Connection Unit carrier for extra on-site maintenance safety.
- Optional neon indicator for visual "ON".
- Positive drive action prevents balancing between ON and OFF position.
- Double pole product marking on moulded rocker to easily identify once product has been installed.
- Substantial silver alloy contacts for longer life and low contact resistance.
- 3mm contact gap ensures safe means of isolation.
- Individually boxed to protect product before installation.
- Metal rockers to harmonise with the decorative plate finish.
- Modular grid products enables units to be quickly and easily assembled to customers' individual specifications allowing several circuits to be controlled from a single position.

RECOMMENDED QUANTITY OF SOCKET OUTLETS FOR DOMESTIC INSTALLATIONS

An installation may have too few socket outlets or the existing socket outlets may be incorrectly sited. Both conditions are symptomatic of an inadequate installation which could lead to potentially dangerous improvisation. The following is a summary of the recommendations of the Electrical Installation Industry Liaison Committee and all socket outlets should be of the twin switched type.

NUMBER OF SOCKETS ROOM	6 KITCHEN	6 LOUNGE	4 DINING ROOM
4 DOUBLE BEDROOM	4 SITTING ROOM	4 SINGLE BEDROOM	1 LANDING/STAIRS
2 HALL	2 GARAGE	2 STORE/WORKROOM	1 CENTRAL HEATING BOILER POINT

GUIDE TO THE TERMINAL CAPACITIES OF THE PRINCIPAL WIRING ACCESSORIES - PRODUCT/CONDUCTOR SIZE



13A SOCKET OUTLETS	3 x 2.5mm ² , 2 x 4mm ² , 2 x 6mm ²
13A FUSED CONNECTION UNITS	3 x 2.5mm ² , 2 x 4mm ² , 2 x 6mm ²
10AX PLATE SWITCHES	4 x 1mm ² , 3 x 1.5mm ² , 1 x 2.5mm ²
20A DP SWITCHES	3 x 2.5mm ² , 2 x 4mm ² , 1 x 6mm ² , 1 x 10mm ²