

Grade 13 CE Marked	FINISH	CODE	DESCRIPTION	SIZE
	 BEP	HDBB4	 Grade 13 Double Ball Bearing Hinge c/w screws No. 10x32mm	102x76x3
	 EB			
	 FB			
	 BSS	HIN14325	 Grade 13 Ball Bearing Hinge c/w screws	102x76x2.5
	 SSS			
Double Ball Bearing	 P/L	HDBB1	 Double Ball Bearing Hinge c/w screws No. 10x32mm	101x76x3
		HDBB3	 Double Ball Bearing Hinge c/w screws No. 10x32mm	76x50x2
Double Stainless Steel Washered	 CP	HDSSW2	 Double Stainless Steel Washered Brass Butt Hinge	76x50x2.5
	 SC	HDSSW5	 Double Stainless Steel Washered Brass Butt Hinge	102x67x4
Double Steel Washered	 CP	HDSW1	 Double Steel Washered Brass Butt Hinge c/w screws No. 8x32mm	76x50x2
	 P/L	HDSW2	 Double Steel Washered Brass Butt Hinge c/w screws No. 10x40mm	102x67x2.2
	 SB	HDSW20	 Double Steel Washered Brass Butt Hinge	76x50x2.5
		HDSW3	Double Steel Washered Brass Butt Hinge	102x67x2.5
	 P/L	HDSW4	Double Steel Washered Brass Butt Hinge	102x67x2.5
	 SB	HDSW9	Double Steel Washered Brass Butt Hinge	127x76x3
Double Phosphor Bronze Washered	 FB	HDPBW21	 Double Phosphor Bronze Washered Butt Hinge FB c/w screws	76x50x2.5
	 P/L			
	 P/L	HDPBW4	 Double Phosphor Bronze Washered Butt Hinge	102x67x2.5
	 FB	HDPBW61	 Double Phosphor Bronze Washered Butt Hinge (Lacquered) FB c/w screws	102x67x4
	 P/L			
	 P/L	HDPBW8	Double Phosphor Bronze Washered Butt Hinge	102x76x4
		HDPBW10	Double Phosphor Bronze Washered Butt Hinge	127x76x3

Solid Drawn	FINISH	CODE	DESCRIPTION	SIZE
	 SB	HSD3	Solid Drawn Brass Butt Hinge	70x40x1.5
		HSD35	Solid Drawn Brass Butt Hinge	76x40x2
		HSD4	Solid Drawn Brass Butt Hinge	102x60x2
Fixed Pin	 EB	HINFP1	 Fixed Pin Hinge	76x50
	 PCB	HINFP4	 Fixed Pin Hinge	102x67
Loose Pin	 CP	HINLP1	 Loose Pin Hinge c/w screws pozi drive	76x50
	 EB		W c/w screws No. 7x32mm pozi drive	
	 W			
	 CP	HINLP4	 Loose Pin Hinge	102x67
Contractors Range (Boxed)	 EB	183876	Narrow Pattern Butt Hinge	76x20
	 SCOL	1838100	Narrow Pattern Butt Hinge	102x30
	 ZP			
	 EB	184076	Narrow Pattern Loose Pin Butt Hinge	76x20
	 SCOL			
Spare Screws	 CP	SCP10	Counter Sunk Headed Pozi Screw	No.10x32
		SCP8	Counter Sunk Headed Pozi Screw	No. 8x26
	 EB	SEB7	Counter Sunk Headed Pozi Screw	No. 7x26
	 PB	SPB10	Counter Sunk Headed Pozi Screw	No. 10x30
		SPB8	Counter Sunk Headed Pozi Screw	No. 8x26
			Polished Brass	
			Polished Brass	

Also available in hanging bags - A full range of hinges for the building trade.
Flush, rising butt, 1838, 451 strong, security, loose pin and parliament.

H3N1102/13


Grade 13 Triple Knuckle Hinge

Dimensions

Length:	100mm
Width:	88mm
Thickness:	3mm
Maximum Loading:	120kg

Variations

H3N1102/13/R - Radius




H3N1102A/13

Grade 13 Triple Knuckle Projection Hinge

Dimensions

Length:	100mm
Width:	106mm
Thickness:	3mm
Maximum Loading:	120kg



H3N1101/11/R/LEF



Grade 11 Lift Off (Full Leaf) Hinge - Radius

Dimensions

Length:	100mm
Width:	88mm
Thickness:	3mm
Maximum Loading:	80kg

Variations

H3N1101/11/R/RIG - Right Hand



H3N1105/11/R/LEF



Grade 11 Lift Off (Journal Support) Hinge - Radius

Dimensions

Length:	98mm
Width:	82mm
Thickness:	3mm
Maximum Loading:	80kg


Variations

H3N1105/11/R/RIG - Right Hand



NOTES:

H3N Hinges are supplied in pairs c/w screws and have been assessed as maintenance free. Contact technical for further details.



H3N1 107/13/R/LEF



Grade 13 Lift Off (Journal Support) Hinge - Radius

Dimensions

Length: 110mm
Width: 98mm
Thickness: 3.5mm
Maximum Loading: 120kg

Variations

H3N1 107/13/R/RIG - Right Hand



H2N1 424

Grade 13 Parliament Hinge

Dimensions

Length: 102mm
Projection: 50mm
Width: 102mm
Thickness: 3mm

Variations

H2N1 435 - 102x75x127x3.5mm

H2N1 446 - 102x100x152x3.5mm



H2N1 900

Standard Thrust Bearing Pivot Set

Suitable for doors up to 80Kg

Variations

H2N1 900/R - Radius



H2N1 950

Emergency Release Door Stop

Dimensions

Length: 80mm
Width: 40mm

NOTES:

Intumescent hinge liners available. Call sales for details.
All Enduromax hinges tested to and passed BS EN 1935:2002.

H2N11015/13


Grade 13 Thrust Bearing Hinge Non Removable Pin

Dimensions

Length:	100mm
Width:	100mm
Thickness:	3mm
Maximum Loading:	120kg

Variations

H2N11015/13/R - Radius



H2N1102/13

Grade 13 Thrust Bearing Hinge Non Removable Pin

Dimensions

Length:	100mm
Width:	89mm
Thickness:	3mm
Maximum Loading:	120kg

Variations

H2N1102/13/R - Radius



H2N1103/13

Grade 13 Thrust Bearing Hinge Non Removable Pin

Dimensions

Length:	100mm
Width:	76mm
Thickness:	3mm
Maximum Loading:	120kg

Variations

H2N1103/13/R - Radius



H2N1121/14

Grade 14 Thrust Bearing Hinge Non Removable Pin

Dimensions

Length:	125mm
Width:	102mm
Thickness:	3.5mm
Maximum Loading:	160kg

Variations

H2N1121/14/R - Radius



NOTES:

Enduromax are a superior range of maintenance free hinges tested to 500,000 cycles using a unique patented design.



H2N1202/11/R

Grade 11 Lift Off Thrust Bearing Hinge - Radius

Dimensions

Length:	100mm
Width:	89mm
Thickness:	3mm
Maximum Loading:	80kg

Available in left or right hand



H2N1502/13/R

Grade 13 Lift Off Thrust Bearing Hinge - Radius

Dimensions

Length:	100mm
Width:	98mm
Thickness:	3.5mm
Maximum Loading:	120kg

Available in left or right hand



H2N1503/11/R

Grade 11 Lift Off Thrust Bearing Hinge - Radius

Dimensions

Length:	98mm
Width:	83mm
Thickness:	3mm
Maximum Loading:	80kg

Available in left or right hand

NOTES:
H2N SS Enduromax products are listed on the Secured by Design website as Police Preferred Specification.

CENI443/13

Grade 13 Ball Bearing Hinge
Grade 316 Stainless Steel

Dimensions

Length: 102mm
Width: 102mm
Thickness: 3mm
Maximum Loading: 120kg

Variations

CENI443/13/R - Radius



CENI433/13

Grade 13 Ball Bearing Hinge
Grade 316 Stainless Steel

Dimensions

Length: 102mm
Width: 76mm
Thickness: 3mm
Maximum Loading: 120kg

Variations

CENI433/13/R - Radius



INTI433

Intumescent Hinge Liner

Dimensions

Length: 100mm
Width: 30mm

Variations

INTI102

Width: 36mm

INTI443

Width: 40mm



NOTES:

Intumescent hinge liners available (all packs are supplied pre-drilled in packs of 4). Call sales for details.
All Enduro hinges tested to and passed BS EN 1935:2002.



BSS 
PVD 
SSS 



BSS 
PVD 
SSS 



BSS 
EB 
PVD 
SSS 
SZP 

B



NOTES:

Intumescent hinge liners available to suit 1/2 hour and 1 hour fire doors. For 1 hour requirement please use 2 packs.

HINI4325/13R

Grade 13 Ball Bearing Hinge
Radius

Dimensions

Length: 102mm
Width: 76mm
Thickness: 2.5mm
Maximum Loading: 120kg

Variations

HINI4325/13 - Square



HINI3225/11R

Grade 11 Ball Bearing Hinge
Radius

Dimensions

Length: 76mm
Width: 66mm
Thickness: 2.5mm
Maximum Loading: 80kg

Variations

HINI3225/11 - Square



HINI433/13

Grade 13 Ball Bearing Hinge

Dimensions

Length: 102mm
Width: 76mm
Thickness: 3mm
Maximum Loading: 120kg

Variations

HINI433/13R - Radius

HINI433P/13 - Enduro Plain Branded



HINI433SEC/13

Grade 13 Ball Bearing Security Hinge

Dimensions

Length:	102mm
Width:	76mm
Thickness:	3mm
Maximum Loading:	120kg

Variations

HINI433SEC/13/R - Radius



HINI433HT/13

Grade 13 Ball Bearing Hospital Tip Hinge TS001 November 2005

Dimensions

Length:	102mm
Width:	76mm
Thickness:	3mm
Maximum Loading:	120kg



SCH14325/13

Grade 13 Slim Knuckle Hinge 10mm Dia. Narrow Knuckle

Dimensions

Length:	102mm
Width:	76mm
Thickness:	2.5mm
Maximum Loading:	120kg

Variations


SCH14325/13/R - Radius



SSS



SSS



BSS

SSS



NOTES:

Intumescent hinge liners available. Call sales for details.
All Enduro hinges tested to and passed BS EN 1935:2002.

BSS SSS **CSH1433****Grade I3 Contract
Ball Bearing Hinge****Dimensions**

Length:	102mm
Width:	76mm
Thickness:	3mm
Maximum Loading:	120kg

SSS **RBH1433RIG****Rising Butt Hinge****Dimensions**

Length:	102mm
Width:	75mm
Thickness:	3mm

Variations**RBH1433LEF - Left hand**BSS SSS PVD **B****HIN1322****Ball Bearing Hinge****Dimensions**

Length:	76mm
Width:	51mm
Thickness:	2mm



HIP1332**Plain Hinge****Dimensions**

Length:	76mm
Width:	76mm
Thickness:	2mm

**BSS****SSS****HIP14325****Plain Hinge****Dimensions**

Length:	100mm
Width:	76mm
Thickness:	2.5mm

**BSS****SSS****HIW13215****Washed Hinge****Dimensions**

Length:	76mm
Width:	51mm
Thickness:	1.5mm

**BSS****SSS**



BSS 

SSS 

HIWI4325

Washed Hinge

Dimensions

Length: 102mm
Width: 76mm
Thickness: 2.5mm



PB 

PC 

SC 

HIN424

Parliament Hinge

Dimensions

Length: 102mm
Width: 102mm
Thickness: 4mm

B

